



## E3FA-RP12 2M

Plástico Espejo (no incluido) Coaxial 500mm PNP Cable 2m

<b>Shape</b>	Cylindrical axial
<b>Sensing method</b>	Coaxial retro-reflective
<b>Sensing distance</b>	500 mm
<b>Sensing distance (min.)</b>	100 mm
<b>Setting method</b>	Manual adjustment
<b>Connection method</b>	Cable
<b>Cable length</b>	2 m
<b>Output type</b>	PNP
<b>Operation mode</b>	Dark-ON, Light-ON
<b>Response time</b>	0.5 ms
<b>Material housing</b>	ABS
<b>Thread size</b>	M18
<b>Length</b>	41 mm
<b>Type of light</b>	Polarized red light
<b>Power supply voltage</b>	10-30 V
<b>Features</b>	M.S.R.
<b>Degree of protection (IP)</b>	IP67/IP69K



**E39-L182**

Soporte de montaje rasante en panel para E3FA



**E39-L183**

Soporte de montaje metálico para E3FA



**E39-R1S**

Espejo 60x40mm



**E39-R40**

Espejo cuadrado 84.5x84.5 mm



**E39-R7**

Espejo diámetro 84mm



**E39-RS1**

Espejo adhesivo 10x35mm



**E39-RS2**

Espejo adhesivo 40x35mm



**E39-RS25 5M**

Espejo adhesivo 25mm x 5m



**E39-RS3**

Espejo adhesivo 80x70mm



**E39-RS50 5M**

Espejo adhesivo 50mm x 5m Luz polarizada

Librería CAD



## E3FA Catálogo

ES PDF 2 MB



## E3FA/E3RA/E3FB/E3RB Photoelectric Sensors Datasheet

ES PDF 6 MB