



E3FB-RN21

Metal Espejo (no incluido) 0,1-4m NPN Conector M12

Shape	Cylindrical axial
Sensing method	Retro-reflective
Sensing distance	4000 mm
Sensing distance (min.)	100 mm
Setting method	Manual adjustment
Connection method	Connector M12
Output type	NPN
Operation mode	Dark-ON, Light-ON
Response time	0.5 ms
Material housing	Brass, nickel plated
Thread size	M18
Length	48 mm
Type of light	Polarized red light
Power supply voltage	10-30 V
Features	M.S.R.
Degree of protection (IP)	IP67/IP69K



E39-L183

Soporte de montaje metálico para E3FA



E39-R1S

Espejo 60x40mm



E39-R40

Espejo cuadrado 84.5x84.5 mm



E39-R7

Espejo diámetro 84mm



E39-RS1

Espejo adhesivo 10x35mm



E39-RS2

Espejo adhesivo 40x35mm



E39-RS25 5M

Espejo adhesivo 25mm x 5m



E39-RS3

Espejo adhesivo 80x70mm



E39-RS50 5M

Espejo adhesivo 50mm x 5m Luz polarizada

Productos relacionados:



Conectores y juegos de cables M12

Juegos de cables y conectores industriales para cualquier aplicación

Descargas

Librería CAD



E3FA Catálogo

ES PDF 2 MB



E3FA/E3RA/E3FB/E3RB Photoelectric Sensors

Datasheet

ES PDF 6 MB

TÉRMINOS DE USO DEL SITIO WEB

Este documento PDF se generó a partir del sitio web europeo de OMRON Industrial Automation el 18 August, 2022. Haga clic aquí para acceder a los [legal](#).

OMRON

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU