



RT100-W5M3010

RT1-series SiteManager WiFi, 10 Device Agents, 3x Ethernet Ports, 1x Micro SD slot, 1x USB port

Especificaciones

Remote access method	WiFi
Number of ports WAN	1
Number of ports 10/100 Mbps LAN	3
Mounting method	DIN rail (top hat rail)
Degree of protection (IP)	IP20
Operating temperature range	-25-60 °C
Product Height (unpacked)	107 mm
Product Width (unpacked)	32 mm
Product Depth (unpacked)	97 mm
Product Weight (unpacked)	400 g

Descargas

Librería CAD



Bill of Material for your solution
Folleto

EN PDF 1 MB



RT1 SiteManager
Datasheet

EN PDF 90 KB



RT1 series One Minute
Presentación

EN PDF 900 KB



RT1-series SiteManager
Introducción

EN PDF 400 KB



Remote Access Solution
Catálogo

ES PDF 700 KB



Remote access RT1
Series_NX-NJ
Guía de conexión

EN PDF 3 MB

TÉRMINOS DE USO DEL SITIO WEB

Este documento PDF se generó a partir del sitio web europeo de OMRON Industrial Automation el 2 June, 2023. Haga clic aquí para acceder a los [legal](#).

OMRON

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU