



## S8VK-G01512

Fuente de alimentación 15W/12V/1,2A carril DIN

Type	Book type
Mounting method	DIN rail
Phase	Single
Power output	15 W
Efficiency	77 %
Output voltage	12 V
Rated output current	1.2 A
Power boost ratio	120 %
Temperature range	-40-70 °C
Terminal	Screw
Communication port(s)	None
Alarm function	-
Number of output branches	1
Rated supply voltage at AC 50 Hz	100-240 V
Allowable supply voltage AC	85-264 V
Allowable supply voltage DC	90-350 V
Width	22.5 mm
Height	90 mm
Depth	90 mm

## Productos relacionados:



### S8V-NF

Filtro de ruido S8V-NF

## Descargas

Librería CAD



### Perfect Power Supply Solutions Catálogo

ES PDF 800 KB



### S8VK-G Switch Mode Power Supply Datasheet

EN PDF 10 MB



### S8VK-S/S8FS-G Catálogo

EN PDF 7 MB

#### TÉRMINOS DE USO DEL SITIO WEB

Este documento PDF se generó a partir del sitio web europeo de OMRON Industrial Automation el 18 August, 2022. Haga clic aquí para acceder a los [legal](#).

**OMRON**

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU